

## CANOPY & BODY CENTRE



Item no.	Finish	Dia.	Height	Centre Hole	Description
AVS370	Brass	70mm	16mm	10.5mm	Plain cover
AVS380	Brass	80mm	19	10.5mm	Plain cover
AVS760	Brass	25mm	3mm	10.5mm	Plain rosette
AVS770	Brass	35mm	3mm	10.5mm	Plain rosette
AVS1050	Brass	90mm	52mm	10.5mm	Canopy
AVS107013	Brass	110mm	56	13.5mm	Canopy
AVS1090	Brass	90mm	52mm	10.5mm	Canopy decorative
AVS333	Steel	80mm	25mm	10.5mm	Body centre

## LAMPHOLDER CUP & CANDLE COVERS



Item no.	Finish	Dia.	Height	Description
AVS921	Steel	32mm	55mm	Steel cap with 10.5mm base hole
GG23x100	White	23mm	100mm	Candle cover
GG100WH	White	28mm	100mm	Candle cover for BA15D & E14
GG100IV	Ivory	28mm	100mm	Candle cover for BA15D & E14
GG200WH	White	27mm	100mm	Candle cover for 3585V
GG200IV	Ivory	27mm	100mm	Candle cover for 3585V
GG200ANT	Antique	27mm	100mm	Candle cover for 3585V

## LOOPS & HOOKS



Item no.	Material	Finish	Thread	Dia.	Type
SC121	Cast brass	Raw	M10x1	37mm	Regular
SC141	Cast brass	Raw	M10x1	22mm	Regular
M4604100	Cast brass	Raw	M13x1	25mm	Heavy duty
AVS151	Cast brass	Raw	M10x1		Adjustable serrated
M47061100	Cast brass	Raw	M10x1	48mm	Free swinging loop
AVS22/B	Cast brass	Raw	M10x1	50mm	Heavy duty
AVS225BP	Steel	Brass	M10x1		Welded loop
AVS23/B	Steel	Brass	M10x1	52mm	Regular/Heavy duty
3071	Raw	Brass	1/2"x26TPI		Male external thread
7069	Raw	Brass	M10x1		Male external thread
3072	Raw	Brass	1/2"x26TPI		Female internal thread

## ARM BACK & BRASS BALLS



Item no.	Finish	Thread	Dia.	Type
M4045100	Brass	M10x1	14x17mm	3 holes arm back
M4065100	Brass	M10x1	16x20mm	2 holes arm back
M4071100	Brass	M10x1	13.5x22mm	Arm back with 45° nozzle
AVS1539	Brass	M10x1	18mm	Single blind hole ball
AVS1540	Brass	M10x1	20mm	Single blind hole ball
AVS1546	Brass	M10x1	18mm	Threaded through ball
AVS1549	Brass	M10x1	18mm	2 holes top and side at 90°
AVS1550	Brass	M10x1	20mm	2 holes top and side at 90°
AVS1554	Brass	M10x1	20mm	3 holes ball
M433411	Brass	M10x1	20mm	2 holes with lip top and side
MF118	Brass	3MA	8x8mm	Single blind hole with lip
M4065100	Brass	M10x1	15mm	2 holes with lip top and side

## SWIVEL- M10x1 THREAD



Item no.	Finish	Dia.	Type
M5312100	Raw	19mm	Blade screw clamp female thread both end
M5321100	Raw	16mm	Key clamp type threaded male and female end
M5322100	Raw	19mm	Key clamp type threaded male and female end
M5332100	Raw	19mm	Key clamp type female threaded both ends
M5522120	Chrome	16mm	360° ball type with stop. Tensile strength 7-9kgs
M5550110	Raw	16mm	360° rotation with stop. 90° arm swivelling Male and female. Tensile strength 5-7kgs
M5550120	Chrome	16mm	As M5550110 but with chrome plated finish
M5553110	Raw	16mm	360° rotation with stop. 90° arm swivelling male flat threaded both ends. Strength 5-7kgs
M5548BPL	Brass pl.	12mm	M8x1 Male-Female 360° rotation. 90° arm swivelling.
M5554110	Brass	16mm	360° rotation with stop. 90° arm swivelling male threaded. Tensile strength 5-7kgs with mounting centres.

## BRASS END PIECES (FINIALS)




Item no.	Thread	Length	Outer Dia.	Packing
AVS1569	M10 x 1	16mm	8mm	500
AVS1580	M10 x 1	8mm	14mm	250
AVS1568	M10 x 1	8mm	16mm	250
AVS1571	M10 x 1	10mm	14mm	500
AVS1560	M10 x 1	18mm	14mm	500
AVS1572	M10 x 1	26mm	13mm	250
AVS1572/A	M10 x 1	35mm	15mm	100
AVS1572/A	M10 x 1	51mm	25mm	100
AVS1565	M10 x 1	24mm	13mm	250
M3462100	M10 x 1	35mm	18mm	100
AVS1557	M10 x 1	19mm	16mm	250
AVS1558	M10 x 1	16mm	14mm	250
M3767100	M10 x 1	29mm	22mm	100
GHG3	M10 x 1	34mm	18mm	100
GGH302	M10 x 1	58mm	65mm	100

## BRASS COUPLING (INTERNAL THREAD)



Item no.	Thread	Length	Outer Dia.	Packing
M3138100	M10 x 1	16mm	12mm	500
AVS1503	M10 x 1	12mm	13mm	250
AVS1504/A	M10 x 1	20mm	13mm	250
3055	3/8" x 26TPI	20mm	13mm	200
3058	1/2" x 26TPI	20mm	13mm	200
AVS1508	M10 x 1	12mm	15mm	250
AVS1509	No Thread	12mm	15mm	250
3076	1/2" x 26TPI	13mm	15mm	100
AVS1510	M10 x 1	21mm	21mm	100
AVS1516	M10 x 1	15mm	25mm	100
AVS1518	M10 x 1	13mm	16mm	200

## BRASS REDUCTION BUSHES



Item no.	Finish	Reduction
AVS1500	Brass	Male external M10x1 > Female internal M10x1
M441011	Brass	Male M10x1 > Female M13x1
AVS1502	Brass	Female M10x1 > Female M13x1
3046	Brass	Male 1/2" > Female 3/8" knurled flange
3096	Brass	Male 1/2" > Female M10x1 knurled flange
3076R	Brass	Female 1/2" > Female M10x1 ornamental
3077	Brass	Male 1/2" > Female M10x1 headless

## CEILING SUSPENSION



Item no.	Finish	Hole	Description
AVS208/A	Zinc	10.5mm	Double slip hole without thread
AVS209/A	Zinc	13.5mm	Double slip hole without thread
AVS210	Zinc	M10x1	Thread M10x1 with 2 lock screws
M485221	Zinc	M10x1	Steel swinging with insulated hook

## BODY SPACER (HICKEYS)



Item no.	Finish	Thread	Length	Type
AVS245	Brass	M10x1-M10x1	18.5mm	Spacer
AVS240	Zinc	M10x1-M10x1	20x20mm	Regular
AVS242	Zinc	M10x1-M10x1	21x23mm	Heavy duty
AVS242/A	Zinc	M10x1-M13x1	21x23mm	Reducer hickey
AVS243	Steel	M10x1-M13x1	21x23mm	Heavy duty


## TUBES



Item no.	Finish	Thread	Length	Type
AVS222BP	Brass pl.	M10x1	85mm	Welded loop
TUBE13BR	Raw brass	No thread	1meter	13mm dia. tube

Covers M10x1 threaded rods

## HEXAGONAL LOCKNUTS



Item no.	Material Type	Thread	Outer Dia.	Thickness	Finish
NUT2.5SPR13	Steel pressed	M10x1	13mm	2.5mm	Zinc
NUT2.5SPR14	Steel pressed	M10x1	14mm	2.5mm	Zinc
NUT3BT	Brass turned	M10x1	13mm	3mm	Raw
NUT4ST	Steel turned	M10x1	13mm	4mm	Zinc
NUT6ST	Steel turned	M10x1	13mm	6mm	Zinc
3050	Brass turned	1/2"x26TPI	16mm	3mm	Raw brass
3051	Brass turned	3/8"x26TPI	13mm	3mm	Raw brass
839WH	Nylon turned	M10x1	13mm	3mm	White nylon

## COLLARS & RING NUTS



Collars

Ring nuts

Item no.	Material Type	Thread	Outer Dia.	Thickness	Finish
AVS153	Brass plain	M10x1	13mm	2.5mm	Brass
AVS163	Brass knurled	M10x1	13mm	2.5mm	Brass
AVS164	Brass dome	M10x1	15mm	3mm	Brass
3074	Brass plain	1/2"x26TPI	15mm	3.2mm	Raw brass

## WASHERS



Item no.	Material Type	Thread	Outer Dia.	Thickness	Finish
AVS154	Brass plain	10.5mm	20mm	2mm	Raw brass
AVS172	Steel flat	10.5mm	20mm	1mm	Zinc
AVS173	Steel flat	10.5mm	30mm	1mm	Zinc
AVS175	Knurled+3 holes	10.5mm	23mm	1mm	Zinc
AVS181	Steel split ring	10.5mm	16.2mm	1.2mm	Zinc
AVS184	Steel tooth	10.5mm	16mm	1mm	Zinc
AVS185	Steel tooth	13.5mm	22mm	1.5mm	Zinc
951	Clear nylon	10.5mm	22mm	2mm	Nylon

## THREADED NIPPLES (EXTERNAL THREAD)

Threaded M10x1 made of zinc plated steel



Item no.	Length	Packing
T1010261	10mm	1000
T1012261	12mm	1000
T1015261	15mm	1000
T1018261	18mm	1000
T1020261	20mm	1000
T1025261	25mm	1000
T1030261	30mm	500
T1035261	35mm	500
T1040261	40mm	500
T1045261	45mm	250
T1050261	50mm	250
<b>THREADED 3/8" 26TPI BRASS</b>		
3039	3/8" x 1"	200

Item no.	Length	Packing
T1055261	55mm	250
T1060261	60mm	250
T1070261	70mm	250
T1075261	75mm	250
T1080261	80mm	250
T1100261	100mm	250
T1150261	150mm	100
T1200261	200mm	100
T1300261	300mm	100
T1600261	600mm	100
T1METRE	1000mm	100
<b>THREADED 1/2" 26TPI BRASS</b>		
3042	1/2" x 1"	200
3237	1/2" x 3"	100

## THREADED BUSH M10x1



Item no.	Material Type	Head	Head Dia.	Hole dia.	Length
AVS1526	Brass	Hexagonal	13mm	7mm	10mm
AVS1527	Brass	Hexagonal	13mm	7mm	13mm
826BK	Black nylon	Hexagonal	12mm	7mm	10.5mm
826WH	White nylon	Hexagonal	12mm	7mm	10.5mm
M2801100	Brass	Female with slot	14mm	10mm	7mm

## UNTHREADED SLIP RING

Use AVS11/B  
3MA screw



Item no.	Flange dia.	Holes	Description
AVS1120	12mm	10.5mm	3MA threaded hole w/o screw
AVS1122	15mm	13.5mm	3MA threaded hole w/o screw
AVS165/A	—	10.2mm	Ring collar only 15 x 3mm

## BRASS SCREW & EYELETS



Item no.	Thread	Thread Length	Head Dia.	Type
AVS11/B	3MA	4mm	4.5mm	Round head
M621019	3MA	3.5mm	6mm	Drilled head hole 1.75mm
SCR1583	3MA	15mm	5mm	Knurled head
SCR1156	3MA	20mm	5mm	Knurled barrel head
AVS1590	3MA	—	6mm	Eyelet



MALE



**Cord grip**  
 Male nylon 2 piece  
 Flat & Round  
 Dia. 16 x 24mm  
 Available in: White & Black

Suit flat cable  CGF71777  CGF71778

Suit Round cable  CGR71777  CGR71778

FEMALE



**Cord grip**  
 Female nylon 2 piece  
 Flat & Round  
 Dia. 16 x 22mm  
 Available in: White & Black

Suit flat cable  CGF71779  CGF71780

Suit Round cable  CGR71779  CGR71780

MALE



**Cord grip**  
 Male & Female cord grip with screw clamp  
 Available in: Black

FEMALE

CGR71790 Male

CGR71792 Female



**MF5 123**  
**Brass cord grip**  
 Brass 2 piece self locking teeth with cable hole 6.3mm dia.



**CORD LOCK**  
 White nylon plastic cord lock with screw  
 Available in 10mm and 1/2" hole  
 90510 10mm  
 90513 1/2"



**Plastic Insulator**  
 902 Dia.7.5mm  
 Length 14.4mm  
 307 Dia.17mm  
 Length 20mm



**904** **Plastic Grommet**  
 Available in white  
 Dia.9mm  
 Length: 7mm



**CORD LOCK**  
 Clear nylon plastic cord lock  
 Available in 2 and 3 holes  
 CG820 2 Holes  
 CG830 3 Holes



**Earth Tag**  
 90610 10mm hole with screw  
 90613 13mm hole with screw

G375-4BK



**Snap fit Grommet**  
 G375-4BK    GO811BK  
 Dia.9.5mm    Dia. 11mm  
 Length: 14mm    Length: 14mm